## **Polyform® FSF Series Pontoon Floats**



# Proudly made by The Originator of Modern Plastic Buoys

#### POLYFORM® OF NORWAY

The cylindrical FSF-pontoon floats are constructed from an outer, 6mm strong rotomolded PE shell that is filled with polystyrene foam (EPS). As a standard, these pontoon floats come with a 93mm or 50mm center hole. Different other dimensions can be produced to order. For the standard product, the center hole is manufactured as a passage directly through the foam filling. As an alternative — if required and on demand — a plastic pipe can be welded in.

## **Product information**



Article number	FSF230-50
Diameter	650 mm
Height / length	970 mm
Weight (nominal)	19 Kg
Centre hole opening	50 mm
Gross volume	230 L
Recommended max load	125 Kg

## **Technical information**

Buoy body material description		
Material	LLPE	
Hardness, shore D	57	
Tensile strength	17,5 MPa	
Ultimate Elongation	650%	
Recommended min temp.	-25°C	
Recommended max temp.	40°C	
Temp. not to be exceeded	50°C	
Specific gravity	0,94	

Foam core material description	
Material	EPS
Density	25 Kg/m³
Compressive strength	50 KPa

### **Polyform AS**

Polyform AS is a world leading manufacturer of buoys fenders and floats, and the originator of the modern inflatable plastic buoy. The company is registered in Norway and situated in Ålesund at the northwestern coast of Norway, and benefits from being located in one of the world's most innovative maritime environments.

The product range of Polyform AS consists of:

- •Inflatable buoys and fenders made from soft Vinyl plastics.
- Purse Seine Floats, buoys and marina fenders made from BACELL closed cell foam.
- Hard-shell buoys and pontoon floats made from PE and filled with foam

Norway